

Measuring program	Station	Station long name	Station number	Time stamp (Sampling)	Parameter type	Sign	Value	Unit
MP_Jersey	Bellozanne	JNWW_S16	709	02/01/2020 00:00	31 / Nitrate NO3	---	67.2	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/01/2020 00:00	31 / Nitrate NO3	---	65.1	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	13/01/2020 00:00	31 / Nitrate NO3	---	62.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	22/01/2020 00:00	31 / Nitrate NO3	---	64.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	28/01/2020 00:00	31 / Nitrate NO3	---	46.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	04/02/2020 00:00	31 / Nitrate NO3	---	54.3	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/02/2020 00:00	31 / Nitrate NO3	---	63.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	04/03/2020 00:00	31 / Nitrate NO3	---	59.3	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/03/2020 00:00	31 / Nitrate NO3	---	66.6	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	02/04/2020 00:00	31 / Nitrate NO3	---	68.5	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	23/04/2020 00:00	31 / Nitrate NO3	---	68.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	20/05/2020 00:00	31 / Nitrate NO3	---	63.1	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	02/06/2020 00:00	31 / Nitrate NO3	---	59.7	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	10/06/2020 00:00	31 / Nitrate NO3	---	59.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/06/2020 00:00	31 / Nitrate NO3	---	48	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	08/07/2020 00:00	31 / Nitrate NO3	---	49.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	21/07/2020 00:00	31 / Nitrate NO3	---	51.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	05/08/2020 00:00	31 / Nitrate NO3	---	50.1	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	18/08/2020 00:00	31 / Nitrate NO3	---	38.3	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	02/09/2020 00:00	31 / Nitrate NO3	---	47.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	16/09/2020 00:00	31 / Nitrate NO3	---	50	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	29/09/2020 00:00	31 / Nitrate NO3	---	43.1	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	04/11/2020 00:00	31 / Nitrate NO3	---	45.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	01/02/2021 00:00	31 / Nitrate NO3	---	51.5	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/02/2021 00:00	31 / Nitrate NO3	---	60	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	10/03/2021 00:00	31 / Nitrate NO3	---	64.7	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/03/2021 00:00	31 / Nitrate NO3	---	42.4	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	09/04/2021 00:00	31 / Nitrate NO3	---	61	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	21/04/2021 00:00	31 / Nitrate NO3	---	61.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/05/2021 00:00	31 / Nitrate NO3	---	53.6	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	18/05/2021 00:00	31 / Nitrate NO3	---	43.6	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	16/06/2021 00:00	31 / Nitrate NO3	---	49.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	12/07/2021 00:00	31 / Nitrate NO3	---	43.4	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	10/08/2021 00:00	31 / Nitrate NO3	---	38.7	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	07/09/2021 00:00	31 / Nitrate NO3	---	50.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	05/10/2021 00:00	31 / Nitrate NO3	---	30.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	01/11/2021 00:00	31 / Nitrate NO3	---	30.1	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	29/11/2021 00:00	31 / Nitrate NO3	---	50.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	11/01/2022 00:00	31 / Nitrate NO3	---	46.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	26/01/2022 00:00	31 / Nitrate NO3	---	62.3	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	08/02/2022 00:00	31 / Nitrate NO3	---	60.6	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/04/2022 00:00	31 / Nitrate NO3	---	60.7	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/04/2022 00:00	31 / Nitrate NO3	---	55.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	04/05/2022 00:00	31 / Nitrate NO3	---	56.8	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	16/05/2022 00:00	31 / Nitrate NO3	---	55	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	23/05/2022 10:55	31 / Nitrate NO3	---	54	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	07/06/2022 00:00	31 / Nitrate NO3	---	42.3	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	21/06/2022 00:00	31 / Nitrate NO3	---	49.6	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	21/06/2022 09:30	31 / Nitrate NO3	---	53	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	05/07/2022 00:00	31 / Nitrate NO3	---	44.2	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/07/2022 00:00	31 / Nitrate NO3	---	85.4	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	03/08/2022 00:00	31 / Nitrate NO3	---	44.9	mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	17/08/2022 00:00	31 / Nitrate NO3	---	31.6	mg/l

MP_Jersey	Bellozanne	JNWW_S16	709	01/09/2022 00:00	31 / Nitrate NO3	---	38.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/09/2022 09:05	31 / Nitrate NO3	---	41 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	12/09/2022 00:00	31 / Nitrate NO3	---	45.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	27/09/2022 00:00	31 / Nitrate NO3	---	43.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	12/10/2022 00:00	31 / Nitrate NO3	---	47.7 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	26/10/2022 00:00	31 / Nitrate NO3	---	36 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	09/11/2022 00:00	31 / Nitrate NO3	---	31.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	22/11/2022 00:00	31 / Nitrate NO3	---	32.7 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/12/2022 09:00	31 / Nitrate NO3	---	52 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	07/12/2022 00:00	31 / Nitrate NO3	---	53.3 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	20/12/2022 00:00	31 / Nitrate NO3	---	23.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	17/01/2023 00:00	31 / Nitrate NO3	---	39 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	31/01/2023 00:00	31 / Nitrate NO3	---	66.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	14/02/2023 00:00	31 / Nitrate NO3	---	68 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	01/03/2023 00:00	31 / Nitrate NO3	---	63.3 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	07/03/2023 09:10	31 / Nitrate NO3	---	65 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	14/03/2023 00:00	31 / Nitrate NO3	---	51.8 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	30/03/2023 00:00	31 / Nitrate NO3	---	66.3 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	12/04/2023 00:00	31 / Nitrate NO3	---	46.1 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/04/2023 08:55	31 / Nitrate NO3	---	53 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	26/04/2023 00:00	31 / Nitrate NO3	---	51 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	10/05/2023 00:00	31 / Nitrate NO3	---	44.3 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	22/05/2023 00:00	31 / Nitrate NO3	---	54.2 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	07/06/2023 00:00	31 / Nitrate NO3	---	53.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/06/2023 00:00	31 / Nitrate NO3	---	54.5 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	03/07/2023 00:00	31 / Nitrate NO3	---	74.1 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	17/07/2023 00:00	31 / Nitrate NO3	---	44.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	31/07/2023 00:00	31 / Nitrate NO3	---	36.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	14/08/2023 00:00	31 / Nitrate NO3	---	46.5 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	29/08/2023 00:00	31 / Nitrate NO3	---	43.9 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	11/09/2023 00:00	31 / Nitrate NO3	---	46.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	12/09/2023 09:20	31 / Nitrate NO3	---	51 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/09/2023 00:00	31 / Nitrate NO3	---	40.7 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	10/10/2023 00:00	31 / Nitrate NO3	---	51.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	25/10/2023 00:00	31 / Nitrate NO3	---	37.1 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	22/11/2023 00:00	31 / Nitrate NO3	---	59.7 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	06/12/2023 00:00	31 / Nitrate NO3	---	57.2 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	18/12/2023 00:00	31 / Nitrate NO3	---	60.9 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	09/01/2024 00:00	31 / Nitrate NO3	---	59.9 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	22/01/2024 00:00	31 / Nitrate NO3	---	56.1 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	05/02/2024 00:00	31 / Nitrate NO3	---	60.4 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/02/2024 00:00	31 / Nitrate NO3	---	51.6 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	04/03/2024 00:00	31 / Nitrate NO3	---	57.3 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	19/03/2024 00:00	31 / Nitrate NO3	---	58.8 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	02/04/2024 12:30	31 / Nitrate NO3	---	57 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	15/04/2024 00:00	31 / Nitrate NO3	---	56.9 mg/l
MP_Jersey	Bellozanne	JNWW_S16	709	29/04/2024 00:00	31 / Nitrate NO3	---	44.5 mg/l