

Measuring program	Station	Station long name	Station number	Time stamp (Sampling)	Parameter type	Sign	Value	Unit
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	06/01/2020 00:00	31 / Nitrate NO3	---	73.1	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	14/01/2020 00:00	31 / Nitrate NO3	---	71.7	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	22/01/2020 00:00	31 / Nitrate NO3	---	75.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	27/01/2020 00:00	31 / Nitrate NO3	---	76	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	03/02/2020 00:00	31 / Nitrate NO3	---	72.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	18/02/2020 00:00	31 / Nitrate NO3	---	75.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	04/03/2020 00:00	31 / Nitrate NO3	---	63.2	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	09/03/2020 00:00	31 / Nitrate NO3	---	75.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	27/03/2020 00:00	31 / Nitrate NO3	---	77.7	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	01/04/2020 00:00	31 / Nitrate NO3	---	79.1	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	22/04/2020 00:00	31 / Nitrate NO3	---	79.9	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	30/04/2020 00:00	31 / Nitrate NO3	---	72.1	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/05/2020 00:00	31 / Nitrate NO3	---	78.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	28/05/2020 00:00	31 / Nitrate NO3	---	78.8	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	18/06/2020 00:00	31 / Nitrate NO3	---	71.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	02/07/2020 00:00	31 / Nitrate NO3	---	70.6	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	13/07/2020 00:00	31 / Nitrate NO3	---	72.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	28/07/2020 00:00	31 / Nitrate NO3	---	71.1	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	11/08/2020 00:00	31 / Nitrate NO3	---	69.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/08/2020 00:00	31 / Nitrate NO3	---	64.6	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	09/09/2020 00:00	31 / Nitrate NO3	---	66.9	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	22/09/2020 00:00	31 / Nitrate NO3	---	68.2	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	15/10/2020 00:00	31 / Nitrate NO3	---	56	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	27/10/2020 00:00	31 / Nitrate NO3	---	52.8	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	11/11/2020 00:00	31 / Nitrate NO3	---	61.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	04/03/2021 00:00	31 / Nitrate NO3	---	69.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	16/03/2021 00:00	31 / Nitrate NO3	---	71.6	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	31/03/2021 00:00	31 / Nitrate NO3	---	70.7	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	14/04/2021 00:00	31 / Nitrate NO3	---	69.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	28/04/2021 00:00	31 / Nitrate NO3	---	70.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	10/05/2021 00:00	31 / Nitrate NO3	---	66	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/05/2021 00:00	31 / Nitrate NO3	---	60.7	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	30/06/2021 00:00	31 / Nitrate NO3	---	59.7	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	21/07/2021 00:00	31 / Nitrate NO3	---	60.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	18/08/2021 00:00	31 / Nitrate NO3	---	60.2	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	13/09/2021 00:00	31 / Nitrate NO3	---	44	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	11/10/2021 00:00	31 / Nitrate NO3	---	57.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	08/11/2021 00:00	31 / Nitrate NO3	---	51.8	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	07/12/2021 00:00	31 / Nitrate NO3	---	37.5	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	17/01/2022 00:00	31 / Nitrate NO3	---	55.9	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	31/01/2022 00:00	31 / Nitrate NO3	---	58.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	15/02/2022 00:00	31 / Nitrate NO3	---	57.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	28/03/2022 00:00	31 / Nitrate NO3	---	59.4	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	13/04/2022 00:00	31 / Nitrate NO3	---	57.3	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/04/2022 00:00	31 / Nitrate NO3	---	58.1	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	11/05/2022 00:00	31 / Nitrate NO3	---	59.2	mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	24/05/2022 10:15	31 / Nitrate NO3	---	64	mg/l

MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/05/2022 00:00	31 / Nitrate NO3	---	59.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	14/06/2022 00:00	31 / Nitrate NO3	---	56.6 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	20/06/2022 09:40	31 / Nitrate NO3	---	62 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	28/06/2022 00:00	31 / Nitrate NO3	---	57.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/07/2022 00:00	31 / Nitrate NO3	---	58.1 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/07/2022 00:00	31 / Nitrate NO3	---	57.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	08/08/2022 00:00	31 / Nitrate NO3	---	56.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	24/08/2022 00:00	31 / Nitrate NO3	---	52.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	05/09/2022 00:00	31 / Nitrate NO3	---	54.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	05/09/2022 09:25	31 / Nitrate NO3	---	49 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	21/09/2022 00:00	31 / Nitrate NO3	---	55.4 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	19/10/2022 00:00	31 / Nitrate NO3	---	51.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	02/11/2022 00:00	31 / Nitrate NO3	---	51.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	15/11/2022 00:00	31 / Nitrate NO3	---	27.9 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	30/11/2022 00:00	31 / Nitrate NO3	---	49.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	05/12/2022 09:20	31 / Nitrate NO3	---	51 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	14/12/2022 00:00	31 / Nitrate NO3	---	48.4 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/01/2023 00:00	31 / Nitrate NO3	---	55.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	24/01/2023 00:00	31 / Nitrate NO3	---	56 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	07/02/2023 00:00	31 / Nitrate NO3	---	60.6 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	22/02/2023 00:00	31 / Nitrate NO3	---	59.1 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	06/03/2023 09:50	31 / Nitrate NO3	---	61 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	07/03/2023 00:00	31 / Nitrate NO3	---	58.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	23/03/2023 00:00	31 / Nitrate NO3	---	56.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	04/04/2023 00:00	31 / Nitrate NO3	---	56.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	19/04/2023 00:00	31 / Nitrate NO3	---	55.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	24/04/2023 08:35	31 / Nitrate NO3	---	57 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	03/05/2023 00:00	31 / Nitrate NO3	---	55.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	15/05/2023 00:00	31 / Nitrate NO3	---	49.7 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	31/05/2023 00:00	31 / Nitrate NO3	---	56.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	13/06/2023 00:00	31 / Nitrate NO3	---	56.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	26/06/2023 00:00	31 / Nitrate NO3	---	55.1 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	10/07/2023 00:00	31 / Nitrate NO3	---	56.3 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	24/07/2023 00:00	31 / Nitrate NO3	---	52 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	07/08/2023 00:00	31 / Nitrate NO3	---	50.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	21/08/2023 00:00	31 / Nitrate NO3	---	52.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	04/09/2023 00:00	31 / Nitrate NO3	---	50.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	11/09/2023 08:45	31 / Nitrate NO3	---	51 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	20/09/2023 00:00	31 / Nitrate NO3	---	50.6 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	02/10/2023 00:00	31 / Nitrate NO3	---	50.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	17/10/2023 00:00	31 / Nitrate NO3	---	51.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	13/11/2023 00:00	31 / Nitrate NO3	---	29.8 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	29/11/2023 00:00	31 / Nitrate NO3	---	46.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/12/2023 00:00	31 / Nitrate NO3	---	50.5 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	15/01/2024 00:00	31 / Nitrate NO3	---	56.9 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	29/01/2024 00:00	31 / Nitrate NO3	---	58.1 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/02/2024 00:00	31 / Nitrate NO3	---	59.4 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	26/02/2024 10:35	31 / Nitrate NO3	---	54.6 mg/l

MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	12/03/2024 00:00	31 / Nitrate NO3	---	57.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	25/03/2024 00:00	31 / Nitrate NO3	---	60 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	08/04/2024 00:00	31 / Nitrate NO3	---	60.2 mg/l
MP_Jersey	Le Mourier Combined	JNWW_S3C	1565	22/04/2024 00:00	31 / Nitrate NO3	---	61.1 mg/l